

Cressida Technology

# **Cressida InQuest™ for WebSphere® MQ**



Copyright © Cressida Technology Ltd. All rights reserved.



#### Cressida Technology Ltd.

71A Smithbrook Kilns, Cranleigh, Surrey GU6 8JJ UNITED KINGDOM ■ UK (+44) 1483-271 900 ■ USA (+1) 914 238-7900 ■ Fax (+44) 1483-608 900 ③ http://www.cressidatechnology.com

## **Cressida InQuest™ for WebSphere® MQ**

Cressida InQuest<sup>™</sup> for WebSphere® MQ (**InQuest**) is a user-configurable tool that utilises the power and functionality of the IBM® WebSphere® MQ (WMQ) API Exit to "intercept" MQI calls that meet certain criteria (as specified in **Filters**), and to perform specific functions (as defined in **Actions**).

The powerful and flexible **Filter Editor** allows the definition of **Filters** that combine any number of criteria to test if a certain API call requires further processing. Each criterion defines a comparison to be performed using the value of an attribute of the call against a comparison value. Depending on the data type of the attribute being tested, various comparison operators are available, including string scan and bit (option) test operations. The graphical front-end allows the creation of complex filter combinations with great ease, while the run-time component ensures that evaluation of these filters adds minimal overhead to the running applications.

Depending on the call type being intercepted, any combination of the following fields can be used when defining filter criteria:

Filter Name		
Critical Message		
Eield		
NUMBEROF	MQMD.Format 🗸	
Operator	MQMD.Correlld	
NOT EQ	MQMD.Encoding	
<u>/</u> alue	MOMD Feedback	
User Defined	MQMD.Format	
User Defined	MQMD.GroupId	
MQFMT_NONE	MQMD.MsgFlags	
MOFMT_CICS MOFMT_COMMAND_1 MOFMT_COMMAND_2 MOFMT_DEAD_LETTER_HEADER		Add Update
MQFMT_DEAD_L	ETTER_HEADER -	E. more and
MQFMT_DEAD_L	ETTER_HEADER	Delete
MQFMT_DEAD_L Resulting Filter E	zpression	Delete
NQFMT_DEAD_L Resulting Filter E (ObjectName St	ETTER_HEADER  Xpression W 'PAY'	Delete Group
Resulting Filter E (ObjectName ST AND ((Message	<u>xpression</u> ₩ 'PAY' Data, 100) SW '1053' at 100) == 70120	<u>D</u> elete <u>G</u> roup Un <u>gr</u> oup
MQFMT_DEAD_L Resulting Filter E (ObjectName St AND ((Message OR (MessageDa OR (ObjectNam	<u>xpression</u> ₩ 'PAY' Data, 100) SW '1053' ata, 100) == 7012)) e EW 'PAY'	<u>D</u> elete <u>G</u> roup Un <u>gr</u> oup U <u>p</u>
MQFMT_DEAD_L Resulting Filter E (ObjectName St AND ((Message OR (MessageDa OR (ObjectNam AND (Message]	<u>ETTER_HEADER</u> ▼ <u>xpression</u> W 'PAY' Data, 100) SW '1053' ata, 100) = 7012)) e EW 'PAY' Data,30,200) CT 'National Bank')	Delete

- ObjectName
- CompletionCode and ReasonCode
- fields ApplName, ApplType, ConnectionName, Environment, SecurityId and UserId from the MQAXC structure
- any of the MQOD fields
- any of the **MQMD** fields
- any of the applicable **Options** fields (**MQGMO**, **OpenOptions**, **MQPMO**)
- the message Data (MQGET AFTER, MQPUT and MQPUT1)
- any of the **MQDLH** fields (Dead Letter Queue only)
- fields RemoteQName and RemoteQMgrName from the MQXQH structure (Transmission queue only)

No limits are imposed by the Filter module on how many criteria are defined neither in a single filter, nor on how these are combined, nor on the total length that a filter string can become.

Any number of **Actions** can be associated with a filter, specifying what extra processing should occur if the filter evaluates to **TRUE**. Actions are grouped in individual **InQuest modules** that can be installed incrementally depending on the needs of your application. Some typical examples of actions include:

• Raise an SNMP alert or MQ Event if an amount in a message exceeds a certain limit

© Cressida Technology Ltd. All rights reserved. 71A Smithbrook Kilns, Cranleigh, Surrey GU6 8JJ UK UK : 44 14 83 27 19 00, USA : 1 914 238 7900

- Fail a GET with a long wait, if the option FAIL\_IF\_QUIESCING is not also specified, or Set the
  option if it's missing
- Replicate messages for one particular client to a file or to another queue

The modular design of InQuest allows the addition of features and functions as and when needed, without requiring changes to applications.

#### Key Benefits of the InQuest Infrastructure:

- Eliminate "application stubs" and/or "API wrappers"
- Simplify applications by externalising part of the application/business logic
- Dynamically activate logic changes without recompiling programs or recycling queue managers
- User friendly graphical front end interface
- Low run-time overhead

The next sections introduce the **InQuest modules** that are currently available. Based on customer demand and market feedback Cressida plans to introduce additional actions for these modules as well as introducing new product modules for Auditing, Accounting, Encryption and Workload Simulation.

#### MBA: Message Based Alerting module

The Message Based Alerting module allows the user to add entries in a log file or to generate alerts based on any MQ API call that meets criteria defined by the user.

The alerts, i.e. actions, can be any of the following, either alone or in combination

- 1. Write an entry to a specified log file
- 2. Send an SNMP trap to a specified host and community with specified severity
- 3. Put an MQ Event message to a specified queue

The message included in the above alerts can be made up of user defined text and any of the WMQ fields or parts of the fields that are available for defining the filter criteria.

e <u>E</u> dit <u>C</u> onfigu	e <u>H</u> elp			
0 4	<u>#</u>			
juulRtF1	FailLongWait			
🌢 juulRtF2	ObjectName SW/ 'PF	ObjectName SW/ 'PBOD'		
juulLOG1	AND MQGM0.0ption	ns & MQGMO_WAIT		
filterMA11	AND MQGM0.Option	ns NOT & MQGMO_FAIL_IF_	QUIESCING	
filterMA11B	🕷 Modify Action 'Fail Call Log messag	ge' 🚺 👔		
filterMA11C	Displayed Action Name			
filtSSCA05	Fail Call Log message		]	
juulEVV	Log File Name			
IG06	Program Files\Cressida\InQuest\logs\ Fa	iledCalls.log Browse		
IG06Log	Save as default	s\FailedCalls.log		
IGUESVI	Message ID		Name: IOhiect	
Filtor 24	SRE050			
iuulEW Mente	Message			
iuulEWobiN4	Invalid combination of Get Options; QNan	ne: [ObjectName] - Options:	Variables	
MSGData	[MQGMO.Options,1]		MQXQH.RemoteQMgrNar MQGMO.GroupStatus	
FailLongWait			MQGMO.MatchOption	
AcctTok		Add variable	MQGMO.MessageToken	
Critical Messa	Select ExitReason	MQGMO.Options MQGMO Resolved OName		
ST Put Simpl	(1) MQXR_BEFORE (2) MQXR_AFTER		MQGMO.ReturnedLength	
	< Back Next >	Finish Cancel	MQGMO.Segmentation	
Action 'Fail Call L			(1) as decimal	
Pending changes not yet saved and implemented			(2) in hex	

Write a message to a log file to record the fact that InQuest failed a GET with invalid options.

© Cressida Technology Ltd. All rights reserved. 71A Smithbrook Kilns, Cranleigh, Surrey GU6 8JJ UK UK : 44 14 83 27 19 00, USA : 1 914 238 7900



Create an MQ Event to signal the processing of a critical payment message.

#### Key Benefits of Message Content Based Alerting:

- · Create selective audit or trace logs using any of the aforementioned fields as filter criteria
- Raise alerts based on, and including, real business data
- Detect critical and/or "abnormal" application conditions in real-time
- Extend the current WMQ metric based monitoring tools to report "message content based" alerts and events
- Create true business application views in your monitoring dashboard including
- Limit the volume of output data by including only relevant attributes and/or actual message data in the log files or alerts

#### SRE: Standards and Rules Enforcer Module

The Standards and Rules Enforcer module allows users to modify MQPUT, MQPUT1, MQGET and MQOPEN calls so that they conform to defined policies and required standards.

The actions can be any of the following either alone or in combination

- 1. Fail Call: the call will not be processed by WMQ, and the application will receive MQCC\_FAILED and a user defined value specified for MQRC
- 2. Set Field: change the value of one or more fields , e.g. set MQMD Priority to 5
- 3. Set Option: add or remove a flag or an option, without affecting other options that may be set

<sup>#</sup> Cressida InQuest* ile Edit Configure Help				
	A	FailLongWait		
₩ IG06EQ ₩ Filter 34 ₩ juulEW_Msg15 ₩ juulEWobjN4		ObjectName SW PROD' AND MQGMO.Options & MQGMO_WAIT AND MQGMO.Options NOT & MQGMO_FAIL_IF_QUIESCING		
WSGData FailLongWait				
Critical Magganag		If this filter evaluates true, execute these actions		
ST_Put_Simple_False ST_Put_Scan200_False ST_Put_Scan200_True	=	Fail call ReasonCode:-50 Fail Call Log message Log Flie: CProgram Flies/CressidalInQuestilogs\ FailedCalls.log MessageUS: SRE050		
ST_Put_Scan1000_Faise		Message: Invalid combination of Get Options; QName: [Object		
ST Put Scan1002 False		Evaluate this filter on		
ST_Put_Scan1003_False		All gueue managers		
ST_Put_Scan1005_Faise	-	Remove Action(s)         Add Action         Modify Filter		
		1		
Action Fail call' channed	-			
Pronon i un cuil changeu	ud and ir	nalow retrat		

Fail a GET with WAIT if "Fail if Quiescing" is not also set



Make sure that "urgent" messages are sent with priority 9

♥ Cressida InQuest*			
Eile Edit Configure Help			
ST_Put_Simple_False     ST_Put_Scan200_False	ProtectClassified		
<ul> <li>ST_Put_Scan200_True</li> <li>ST_Put_Scan200_True</li> <li>ST_Put_Scan1001_False</li> <li>ST_Put_Scan1001_False</li> <li>ST_Put_Scan1002_False</li> <li>ST_Put_Scan1003_False</li> <li>ST_Put_Scan1003_False</li> <li>ST_Put_Scan1003_False</li> </ul>	ObjectName EQ Incoming Messages Queue' AND MQAXC Userid NOT SW TS' AND (MessageData,50) SW TOPSECRET'		
ST_Put_Scan1005_False	If this filter evaluates true, execute these actions		
Image: St_Put_Scan1006_False       Image: St_Put_Scan1007_False	Fail unauthorised GET ReasonCode: -101		

Only allow access to classified users

#### Key Benefits of Standards and Rules Enforcer:

- Enforce "best practices" and site standards; non-conforming calls can either be dynamically corrected or rejected
- Change call attributes based on "message context", e.g. raise or lower the message priority depending on the customer Id value in the message
- Implement security at the individual message level

#### MBR: Message Based Replicator Module

The Message Based Replicator Module allows the user to selectively replicate messages based on criteria defined within a filter.

The actions can be any of the following either alone or in combination

- 1. Replicate to Queue
- 2. Replicate to File

The replicated data can include all or only part of the original message data so that the replication output can be limited to contain only the essential information.

Optionally, you can also use imbedded **setField** and **SetOption** actions to change the value of one or more attributes before replication takes place. This is extremely useful when replicating to Queue, when some attributes – if left unaltered – could potentially interfere with the original application, e.g. some of the Report options, or render the replicated messages unusable, e.g. Expiry. Note that the content of the actual message data cannot be altered.

When replicating to file, several output formats are available depending on your intended use of the replicated data.



😽 Cressida InQu	Jest 🐃 📃 🗖 🔀		
<u>File Edit Config</u>	jure <u>H</u> elp		
i 👩 🛛 🛛	¥ 🐺		
indRtF1	Critical Manager		
	Childan Wessages		
	(ObjectName SW 'PAY'		
filterM&11	AND ((MessageData,100) SW '1053' OR (MessageData,100) == 7012))		
HitorMA11R	OR (ObjectName EW 'PAY'		
HiterM811C	AND (MessageData,30,200) CT 'National Bank')		
4 filtSSCA05	🐱 Add action to filter Critical Messages 🛛 🛛 🔀		
🔑 juulEW	Displayed Action Name		
👋 1G06	Replicate Critical Messages		
👋 IG06Log	File Na <u>m</u> e		
👋 IG06SW	D:\Apps\CritMsgBackup\PayMessages.xml		
🐺 IG06EQ	Browse		
	File Format		
👋 juulEW_Msg	1 🔾 Ch <u>a</u> racter Delimited 🛛 🔽		
juulEWobjN4	© XML		
MSGData	O Visual Edit		
榉 FailLongWai	⊖ ⊖ Paw		
	Amount of Managara Data		
	First n bytes.		
	○ None		
New filter Critic	Pool		
Pending chang	< Back Next> Finisu Caucel		

#### Key Benefits of Message Content Based Replication:

- Selectively replicate messages based on content
- Limit the replicated data to the essential information
- Replicate data to the medium or format that best suits your needs

### Cressida InQuest<sup>™</sup> for WebSphere® MQ

A flexible, configurable, powerful MQ API Exit tool from Cressida Technology Ltd

In addition to InQuest, Cressida also offers:

- ReQuest<sup>™</sup> for WebSphere® MQ a WMQ Recovery Logs Analyzer solution.
- CeQuest™ for WebSphere® MQ an MQ API Exit based Message Tracking solution.

These products provide Point-in-Time Message Tracking, Message Reporting, Message Replay and Recovery, Charge-Back, Accounting, Compliance and Transactions Auditing solutions. ReQuest and CeQuest use advanced filtering technology to analyze critical message activity information already contained in the WMQ logs or available via the API Exit. ReQuest and CeQuest are non-intrusive and application changes are not required. Our products have been successfully implemented at a number of leading customer organizations to help manage their WMQ environments.

#### About Cressida Technology

Cressida is an IBM®, Sun<sup>™</sup>, HP<sup>™</sup>, Microsoft®, VMWare® and Citrix® development and marketing partner that provides WebSphere® MQ message assurance solutions comprised of products, services and training. Cressida also operates <u>www.mqseries.net</u>, a worldwide accessed MQSeries discussion forum community for WebSphere MQ professionals. Cressida has its head office in the United Kingdom with local offices in several European and US locations.



For additional information and a list of local contacts nearest to you please visit our website on <u>www.cressidatechnology.com</u>

Head Office: + 44 1483 271 900, Fax + 44 1483 608 900, USA + 1 914 238 7900.

\*all product and company names referenced are trademarks, and/or registered trademarks of their respective organizations, companies, and corporations.